

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1




FIG. 2

FIG. 3 is a perspective view of the system 38 in a closed position. The system 38 includes a housing 40, a door 42, and a handle 44. The door 42 is hinged to the housing 40 and is shown in a closed position. The handle 44 is located on the door 42 and is used to open the door. The system 38 is shown in a perspective view, and the housing 40 is shown in a perspective view. The door 42 is shown in a perspective view, and the handle 44 is shown in a perspective view. The system 38 is shown in a perspective view, and the housing 40 is shown in a perspective view. The door 42 is shown in a perspective view, and the handle 44 is shown in a perspective view.

3/6




FIG. 3




FIG. 4

5/6




FIG. 5




FIG. 6




FIG. 7